

刀具梅花螺丝
Cutting Tool Screw

尺寸标示 Size(mm)	订购编码 Order	规格型号 Type	A	B	C	F	扭力 Torque (N.m)
	801800	M1.6x3.2xD2.5	M1.6x0.35	3.2	2.5	T6	0.5
	801803	M1.8x4xD2.5	M1.8x0.35	4	2.5	T6	0.5
	801804	M1.8x4xD2.7	M1.8x0.35	4	2.7	T6	0.5
	801805	M2.0x4xD2.85	M2.0x0.4	4	2.85	T6	0.5
	801806A	M2.0x5xD2.8	M2.0x0.4	5	3.0	T6	0.5
	801806C	M2.0x5xD3.0	M2.0x0.4	5	3.0	T6	0.5
	801806D	M2.0x5.5xD3.8	M2.0x0.4	5.5	3.8	T6	0.5
	801806E	M2.0x6xD2.85	M2.0x0.4	6	2.85	T6	0.5
	801807A	M2.2x5xD3.0xP0.45xT6	M2.2x0.45	5	3.0	T6	0.5
	801807B	M2.2x5xD3.6xP0.45xT6	M2.2x0.45	5	3.6	T8	0.8
	801807C	M2.2x5xD2.85xP0.4xT7	M2.2x0.4	5	2.85	T7	0.8
	801807D	M2.2h0.8x5xD3.1xP0.45xT7	M2.2x0.45	5	3.1	T7	0.8
	801808A	M2.2x6xD2.85xP0.4xT7	M2.2x0.4	6	2.85	T7	0.8
	801808B	M2.2x6xD2.85xP0.4xT7	M2.2x0.4	6	2.85	T7	0.8
	801808C	M2.2x6xD3.0xP0.45xT6	M2.2x0.45	6	3.0	T6	0.5
	801808D	M2.2x8xD2.85	M2.2x0.45	8	2.85	T7	0.8
	801810	M2.3x5xD3.0	M2.3x0.4	5	3.0	T6	0.8
	801811A	M2.5x4.5xD3.6	M2.5x0.45	4.5	3.6	T8	1.2
	801811B	M2.5x4.5xD3.6	M2.5x0.45	4.5	3.6	T8	1.2
	801811C	M2.5x4.5xD3.3	M2.5x0.45	4.5	3.3	T8	1.2
	801812A	M2.5x5xD3.6	M2.5x0.45	5	3.6	T8	1.2
	801812B	M2.5x5xD3.3	M2.5x0.45	5	3.3	T8	1.2
	801814A	M2.5x5.5xD3.6	M2.5x0.45	5.5	3.6	T8	1.2
	801814B	M2.5x5.5xD3.3	M2.5x0.45	5.5	3.3	T8	1.2
	801818A	M2.5x6xD3.6	M2.5x0.45	6	3.6	T8	1.2
	801818	M2.5x6xD3.3	M2.5x0.45	6	3.3	T8	1.2
	801818B	M2.5h0.3x6xD4.0xP0.45	M2.5x0.45	6	4.0	T8	1.2
	801818C	M2.5x6xD3.6-R28	M2.5x0.45	6	3.6	T8	1.2
	801820A	M2.5x6.5xD3.6	M2.5x0.45	6.5	3.6	T8	1.2
	801820B	M2.5x6.5xD3.6xT7	M2.5x0.45	6.5	3.5	T7	0.8
	801821	M2.5x7.3xD3.5	M2.5x0.45	7.3	3.5	T8	1.2
	801822	M2.5h0.6x8xD3.6xP0.45	M2.5x0.45	8	3.6	T8	1.2
	801824	M2.5x10xD3.6	M2.5x0.45	10	3.6	T8	1.2
	801825	M2.6x6xD3.6	M2.6x0.45	6	3.6	T8	1.2
	801826	M3.0h0.5x6xD4.0xT8	M3.0x0.5	6	4.0	T8	1.2
	801828A	M3.0h0.5x7xD4.0xT8	M3.0x0.5	7	4.0	T8	1.2
	801828B	M3x7xD4.0xT8(SH)	M3.0x0.5	7	4.0	T8	1.2
	801830A	M3.0x7xD4.2xT9	M3.0x0.5	7	4.2	T9	1.2
	801830B	M3.0x7xD4.2xT10	M3.0x0.5	7	4.2	T10	2.0
	801830C	M3.0x7xD4.6xT10	M3.0x0.5	7	4.2	T10	2.0
	801831	M3.0x7.5xD4.8xH2	M3.0x0.5	7.5	4.8	L2	1.2
	801832A	M3.0x8xD4.0	M3.0x0.5	8	4.0	T8	1.2
	801832B	M3.0x8xD4.2	M3.0x0.5	8	4.2	T10	2.0
	801832C	M3.0x8xD4.3	M3.0x0.5	8	4.3	T9	1.2
	801834	M3.0x9xD5.1	M3.0x0.5	9	5.1	T10	1.2
	801836	M3.0x9.5	M3.0x0.5	9.5	4.2	T10	1.2
	801838	M3.0x10	M3.0x0.5	10	4.2	T10	1.2
	801826	M3.0h0.5x6xD4.0xT8	M3.0x0.5	6	4.0	T8	1.2
	801828A	M3.0h0.5x7xD4.0xT8	M3.0x0.5	7	4.0	T8	1.2
	801828B	M3x7xD4.0xT8(SH)	M3.0x0.5	7	4.0	T8	1.2

注：1. 红色规格为热销规格，常卖规格；也有进口螺丝规格。
2. 螺丝颜色为白色、黑色、青铜色，随机发货，如需指定颜色，请告知客服！
Note: 1.Red specifications for hot, often sell specifications; also imported Screw standing specifications.
2.Screw colors are white, black and bronze, which is shipped at random,if you need to specify the color, please inform the customer service!

双头牙螺丝

Double threaded connecting screw

图示 Object	规格 Type	其余代码 Other Brand	螺纹 Thread	总长 Length	扳手 Wrench
	MS518	-	M5	18	L2.5
	MS519	-	M5	19	L2.5
	MS520	MCS520-2.5	M5	20	L2.5
	MS620	MCS620-3	M6	20	L3
	MS622	-	M6	22	L3
	MS625	MCS625-3	M6	25	L3
	MS630	MCS630-3	M6	30	L3
	MS830	MCS828-4	M8	30	L4
	M6011	MCS3S-11	M6	11	L3
	WC0525E	W Type Turning Tools	M5	25	L3
	BM6026		M6	26	L4
	CS80	E Type Turning Tools	M6	25	L4
	M5026		M5	26	L3
	DCS5	D Type Turning Tools	M5	25	L3
	M503509	MDS5035	M5	9	M3.5
	M604011	MDS6040	M6	11	M4
	M106022	MDS1060	M10	22	M6

中心销螺丝

Center Pin screw

图示 Object	规格 Type	其余代码 Other Brand	螺纹 Thread	总长 Length	扳手 Wrench
	CTM510		M5	10	L2.5
	CTM511	MLP33L	M5	11	L2.5
	CTM513	MLP34L	M5	13	L2.5
	CTM613	MLP44	M6	13	L2.5
	CTM617		M6	17	L2.5
	CTM617-3	MLP46	M6	17	L3
	CTM619	MLP46L	M6	19	L2.5
	CTM822P1.0	MLP58P1.0	M8	22	L3
	CTM822P1.25	MLP58P1.25	M8	22	L3
	CTM1022P1.0	MLP68P1.0	M10	22	L4
	CTM1022P1.5	MLP68P1.25	M10	22	L4
	CTM515-T	SCP314	M5	15	L2.5
	CTM618-W	SCP418	M6	18	L2.5
	503715	170.3-870MCP3	-	15	-
	704019		-	19	-

W 型车刀压板配件

W Type Turning tool Clamp

图示 Object	规格 Type	螺丝 Screw		
	WW08	M5		
	WT16	M5		
	WC0525E	M5		

P 型车刀配件

P Type Turning tool

图示 Object	规格 Type	螺丝 Screw		
	LV3			
	LV4			
	LV5			
	LV6			
	LV4B			
	VHX0617			
	VHX0821			
	VHX0825			
	VHX1027			
	SP3			
	SP4			
	SP5			
	SP6			
	SP10			

车刀刀垫

Turning tools Shim

图示 Object	尺寸标示 Dimensions	规格 Type	A	T	rε
		MC0903	9.525	3.18	R1.2
		1203	12.7	3.18	R1.6
		1204	12.7	4.76	R1.6
		1604	15.875	4.76	R2.4
		1904	19.05	4.76	R2.4
		2504	25.4	4.76	R3.2
		MD1103	9.525	3.18	R1.2
		1504	12.7	4.76	R1.6
		1506	12.7	6.35	R1.6
		1906	15.9	6.35	R2.4
		MS0903	9.525	3.18	R1.2
		1204	12.7	4.76	R1.6
		1504	15.875	4.76	R2.0
		1904	19.05	4.76	R2.4
		2504	25.4	4.76	R3.2
		MT1603	9.525	3.18	R1.2
		16-S	9.525	3.18	R1.2
		2204	12.7	4.76	R2.4
		2704	15.875	4.76	R3.2
		3304	19.05	4.76	R3.6
		MV1603	9.525	3.18	R1.2
		NV1603	9.525	3.18	R1.2
		2204	12.7	4.76	R2.0
		MW0603	9.525	3.18	R1.2
		0804	12.7	4.76	R1.6
		WW0804	12.7	4.76	R1.6
		STM16R	9.525	3.18	
		16L	9.525	3.18	
		22R	12.7	4.76	
		22L	12.7	4.76	

D 型车刀压板配件

D Type Turning tool Clamp

图示 Object	规格 Type	螺丝 Screw		
	DC12	M5		
	DD15	M5		
	DS12	M5		
	DT16	M5		
	DV16	M5		
	DW08	M5		
	M5026	M5		







E 型车刀压板配件

E Type Turning tool Clamp

图示 Object	规格 Type	螺丝 Screw		
	EC12	M6		
	ED15	M6		
	ES12	M6		
	ET16	M6		
	EV16	M6		
	EW08	M6		
	CS80	M6		


刀具梅花螺丝扳手/内六角扳手

Tool screw Plum blossom wrench / hexagon wrench

图示 Object	规格 Type	订购编码 Order	尺寸 Size
 旗形-梅花	T5	801901	
	T6	801900	
	T7	801902	
	T8	801904	
	T9	801906	
	T10	801908	
	T15	802210	
	T20	801912	
	T25	801913	
	T18	802100	
 T形-梅花	TT10	802102	
	TT15	802104	
	TT20	802106	
	TT25	802108	
	TT30	802110	
	IT5	802200	
	IT6	802202	
	IT7	802204	
	IT8	802206	
	IT9	802207	
 直柄-梅花	IT10	802208	
	IT15	802210	
	IT20	802212	
	IT25	802214	
	IT30	802216	
	IT40	802217	
	PL1.25	802290	L1 25×40×13
	PL1.5	802292	L1 5×45×15
	PL2	802300	L2 0×50×17
	PL2.5	802302	L2 5×59×20
 内六角	PL3	802304	L3 0×60×20
	PL3.5	802305	L3 5×60×22
	PL4	802306	L4 0×74×29
	PL5	802308	L5 0×85×33
	PL6	802310	L6 0×96×38
	PL8	802312	
	PL10	802314	
	PL12	802316	
	TL2	802400	
	TL2.5	802402	
 T型-内六角	TL3	802404	
	TL4	802406	
	TL5	802408	
	TL6	802410	
	TL8	802412	
	IL2	802290	
	IL2.5	802292	
	IL3	802294	
	IL4	802296	
 直柄-内六角			



球形铣刀精密螺丝

Spherical Precision Milling Cutter Screw

图示 Size(mm)	订购编码 Order	规格 Type	A	B	C	F	适用刀片 Insert
		T2139-R4	M3. 0×0. 5	7			R4
		T2139-R5	M4. 0×0. 5	9			R5
		T2139-R6	M5. 0×0. 5	9			R6
		T2139-R8	M5. 0×0. 5	13			R8
		T2139-R10	M5. 0×0. 5	16			R10
		T2139-R12.5	M6. 0×0. 75	21			R12. 5
		T2139-R15	M8. 0×0. 75	25			R15
		T2139-R16	M8. 0×0. 75	25			R16
		BNM-R5	M3. 0×0. 35	8			BNM-100
		BNM-R6	M3. 5×0. 6	9			BNM-120
		BNM-R8	M4. 0×0. 7	13			BNM-160
		BNM-R10	M5. 0×0. 8	16			BNM-200
		BNM-R12.5	M6. 0×1. 0	20			BNM-250
		BNM-R15	M8. 0×1. 25	25			BNM-300
		ZCC-R6	M4. 0×0. 7	10			R6
		ZCC-R8	M5. 0×0. 8	11			R8
		ZCC-R10	M5. 0×0. 8	16			R10
		ABPF-R3	M2.0×0.4	5			ABPF-R3
		ABPF-R4	M3. 0×0. 5	6			ABPF-R4
		ABPF-R5	M3. 5×0. 6	8			ABPF-R5
		ABPF-R6	M5. 0×0. 8	9			ABPF-R6
		ABPF-R8	M5. 0×0. 8	13			ABPF-R8
		ABPF-R10	M6. 0×1. 0	17			ABPF-R10
		ABPF-R12.5	M6. 0×1. 0	22			ABPF-R12.5
		ABPF-R15	M8. 0×1. 25	25			ABPF-R15
		ABPF-R16	M8. 0×1. 25	25			ABPF-R16
		MITSUBISHI-R5	M3. 0×0. 5	8			R5
		MITSUBISHI-R6	M3. 5×0. 6	10			R6
		MITSUBISHI-R8	M4. 0×0. 7	14			R8
		MITSUBISHI-R10	M5. 0×0. 8	16			R10
		MITSUBISHI-R12.5	M6. 0×1. 0	22			R12. 5
		MITSUBISHI-R15	M8. 0×1. 25	25			R15



铣刀垫片

Milling Cutter Alloy Shim

图示 Object	尺寸标示 Dimensions	规格 Type	IC	S	B	d1	d2	适用刀片 Used
		SC10503	10.5	3.0	10.5	5.4	7	SE... 13T3
		SB9403	9.4	3.18	9.4	5.4	7	SE... 1204
		SC1003	10	3.18	10	5.4	7	SD12
		SX10503	10.5	3	10.5	5.4	7	R290-12T3


铣刀压板配件

Milling Clamp Accessory

图示 Object	规格 Type	订购编码 Order	尺寸 Size
 EMR/TRS 点式压板	YB4R	802500	刀片压盖
	YB6R	802502	刀片压盖
	YB6R	802504	刀片压盖
	YB8R	802506	刀片压盖
 AJX 铣刀压板	AJX09	802511	JDMW09T320
	AJX121304	802512	JDMW120420
	AJX141605M	802508	JDMW140520
 SKS 铣刀压板	DCM-17	802507A	SKS 18X10X5.0
	DCM-18	802507B	SKS 13X8X3.2
 ASR 铣刀压板	SC1408	802513A	ASR 14X8X4.0
	SC1609	802513B	ASR 16X9X5.0
 压板	TST-181005	802515	CSY20 17.5X9.3X4.5
	JC-CGBR	802530	CGBR
	JC-CPS-5V	802532	CPS-5V
	JC-CPS-6V	802534	CPS-6V
 TP全形压板 TP Cutter Screw	M3/16X32GX13L	802516	TP1103
	M1/4X28GX17L	802518	TP1603
	M5/16X24GX23L	802520	TP2204
 龙门铣刀盘配件 Flat cutter parts	5251压块TJS525FP	802550	Flat cutter parts
	5252垫片Screw	802552	Flat cutter parts
	5253固角垫片	802554	Flat cutter parts
	5254双头螺丝Screw	802556	Flat cutter parts

FMA/FMB 平面铣刀刀柄固定块

FMA/FMB Milling Cutter Toolholder Fixed Block

图示 Object	规格型号 Type	订购编码 Order Number	K2XHXLXR	L1XK1	配套螺丝 Screw
	FMB16	802900	8X7X13XR4	5X3.8	M3X8
	FMB22-4	802902	10X10X15.8XR5	6X4.8	M4X10
	FMB22-5	802904	10X10X15.8XR5	6X4.8	M5X10
	FMB27	802906	12X11X18.8XR6	7X5.8	M5X12
	FMB32	802908	14X13X21.8XR7	8X6.8	M6X14
	FMB40	802910	16X15X25.3XR8	9X8.3	M6X16
	FMA22 225	802920	7.94X7X12.5XR3.97	5X3.5	M1/8X8
	FMA25.4	802922	9.52X9X15.3XR4.76	6X4.52	M5/32X10
	FMA31.75	802924	12.7X12X20XR6.35	7X6.7	M3/16X12
	FMA38.1	802926	15.88X15X25.8XR7.94	9X8.87	M1/4X14
	FMA50.8	802928	19.05X18X29.3XR9.52	10X9.75	M5/16X18
	FMA47.625	802930	25.4X18X38.2XR12.7	13X12.5	M5/16X18


SLN 侧固式铣刀刀柄固定螺丝

SLN Fixing screw of side fixed milling cutter shank

图示 Object	规格型号 Type	订购编码 Order Number	长度x螺距 Thread x Wrench	钻孔位置 Hole Spacing
	SLN06	802950	M6X8XP1.0XL3	18X0
	SLN08	802952	M8X8XP1.25XL4	18X0
	SLN10	802954	M10X10XP1.5XL4	20X0
	SLN12	802956	M12X12XP1.75XL6	22.5X0
	SLN16	802958	M14X14XP2.0XL6	24X0
	SLN20	802960	M16X16XP2.0XL8	25X0
	SLN25	802962	M18X18XP2.0XL10	24X25
	SLN32	802964	M20X20XP2.0XL10	24X28
	SLN40	802966	M20X20XP2.0XL10	30X32
	SLN42	802968	M20X20XP2.0XL10	30X32


镗刀零配件

Boring tool parts

图示 Object	螺丝 Screw	尺寸 Size	对应镗刀 Corresponding
 调节螺丝 Regulating Screw	精镗 Fine boring head B1-2 Screw	M3×8×5×L2	CK1 微调镗杆
	微调镗杆 Regulation of Screw cutter	PTM6×60×P1.0×L3	- 微调镗杆
	微调镗杆 Regulation of Screw cutter	M6×17×P0.5×L3-CK4	CK4 微调镗杆
	精镗 NBH2084 Fine boring side Screw	M12×16×P1.75	NBH2084 微调镗杆
 刀片座固定螺丝 Insert seat side fastening screws	129BT-M3×7×P0.5×H2		CK1(BIG)
	129BT-M3×8×P0.5×H2		CK2(BIG)
	129BT-M4×11×P0.7×H2.5		CK3(BIG)
	129BT-M5×13.7×P0.8×H3		CK4(BIG)
	129BT-M5×14.2×P0.8×H4		CK5(BIG)
	129BT-M8×21.4×P1.25×H5		CK6(BIG)
 镗刀侧固螺丝 Fine boring side Screw Refined Sugar Cephalic Screw Fixation	M4×5×P0.5×A30		CK1(BIG)
	M5×7×P0.5×A30		CK2(BIG)
	M6×8×P0.75×A30		CK3(BIG)
	M8×11×P0.75×A30		CK4(BIG)
	M10×14×P1.0×A30		CK5(BIG)
	M12×18×P1.0×A30		CK6(BIG)
	M16×20×P1.5×A30		MD63F(KORLOY)
	M16×26×P1.5×A30		MD80F(KORLOY)
	M16×31×P1.5×A30		MD90F(KORLOY)

C/OZ 型刀柄扳手

C/OZ Toolholder Wrench



型号 Cat.No	A	L	重量 Weight(KG)	单价 PRICE(RMB)
BS-C20	55-55	245	0.17	120
BS-C25	56-61	270	0.2	120
BS-C32	68-73	290	0.3	120
BS-C42	88-96	340	0.42	120
BS-OZ25	55-60	250	0.24	80


ER 型刀柄扳手

ER Toolholder Wrench



数控铣床刀柄拉杆/拉头

NC Milling Machine Toolholder Pull Rod / Puller Bolt



订购编码 Order	拉钉型号 Type	D	d	d1	d2	L	e	G	Q	用途 Application	备注 Note	单价 Price
809600	PS-1	15	23	17	10	60	35	M16	45	BT40-1标准型	MAS P40T-1	40
809602	PS-2								60	BT40-2标准型	MAS P40T-2	40
809604	PS-3								45	BT45-1标准型	MAS P45T-1	50
809606	PS-4	19	31	21	14	7	40	M20	60	BT45-2标准型	MAS P45T-2	50
809608	PS-5								45	BT50-1标准型	MAS P50T-1	80
809610	PS-6								60	BT50-2标准型	MAS P50T-2	80
809612	PS-16	11	16.5	12.5	7	43	23	M12	45	BT30-1标准型	MAS P30T-1	40
809614	PS-17								60	BT30-2标准型	MAS P30T-2	40
809616	PS-18								45	BT35-1标准型	MAS P35T-2	50
809618	PS-19	23	38	28	8.5	48	28	M24	60	BT35-2标准型	MAS P35T-2	50
809620	PS-5F								45	BT50-1	PS-5 端面研磨	90
809622	PS-6F								60	BT50-2	PS-6 端面研磨	90
809624	PS-50								45	BT50		90
809626	PS-53								45	CAT50U		90
809628	PS-63								60	CAT50U		90
809630	PS-70	19	23	17	14	60	35	M16	45	BT40		40
809632	PS-72								45	CAT40U		40
809634	PS-0	23	38	25	17	85	45	M24	90	BT50-90型		90
809636	PS-08-1	15	23	17	10	60	35	M16		BT40-90型		50
809638	PS-P	24	36	25	18	71	31	M24		BT50三井精机		90
809640	PS-P5-1	15	23	17	10	50	25	M16		BT40三井精机		50
809642	PS-P10	11	16	12.5	7	40	20	M12		BT30三井精机		40
809644	PS-U2	13.7	20	13	8.9	53	28	M24		BT35松浦机械		50
809646	PS-G4	23	38	25	17	85	45	M24	90	BT50马扎克		90
809648	PS-G5	15	23	17	10	54.6	29.6	M16	45	BT40马扎克		50
809650	PS-G45	28.956	37	25	20.828	65.2	25.2	M24		BT50马扎克端面研磨	PS-G41无孔	100
809652	PS-G58	18.796	22	17	12.446	44.1	19.106	M16		BT40马扎克端面研磨	PS-G51无孔	80
809654	PS-G60	18.796	21.8	16.281	12.446	41.256	16.256	5/8-11UNC	90	CAT40U大隈		60
809656	PS-O19	23	38	-	17	85	45.2	1-8UNC		CAT50U		90
809658	PS-O47			25	17	85	45	M24		IT50 森精机		90
809660	PS-P13	24	36	-	18	71	31	1-8UNC	45	CAT50U 三井精机		90
809662	PS-H30	15	23	16.281	10	57.2	32.2	5/8-11UNC		CAT40U 日立精机		60
809664	PS-B1	22	38	25	16	112	72	M24	60	BT50 大隈		90
809666	PS-809	28	23	17	21	74	34		75	BT50 端面研磨	JIS-B6339-89	90
809668	PS-805	19			14	54	29			BT40 端面研磨	JIS-B6339-89	60
809670	PS-801	12			8	43	23.4			BT30 端面研磨	JIS-B6339-89	50
809672	PS-J	14	20	13		45	23	M12	90	BT35 北村机械		60
809674	PS-M10	14	16	12.5	10	40	22		45	CAT30S 牧野精机		50
809676	PS-R3	10	18	13	7	43	25			BT35 碌碌产业		80
809678	PS-C	21	39	25	15	105.1	63.1	M24		BT50 日立精工		90
809680	PS-301	15	23	17	11	60	35	M16	60	BT40 津上		40
809682	PS-Q3	16	16.5	12.5	12.5	31.8	11.8	M12	45	BT30		40
809684	PS-BR*1	7	10	6.5	4	28	17	M6	45	BT15 兄弟工业		90
809686	PS-81	12	16.5	12.5	8	44	24	M12	R4	BT30 CKD用		50
809688	PS-581	28	36	25	21	74	34	M24	75	IT50	DIN69872-B-1988	90
809690	PS-302	19	23	17	14	54	26	M16		IT40	DIN69872-A-1988	70
809692	PS-122	13	17	13	9	44	24	M12		IT30	DIN69872-A-1988	60
809694	PS-S27	18.95	22.5	17	12.95	44.25	19.25	M6	45	BT40新日本工机		50

- ✖中心通油型机床在使用无中心孔拉钉时，请使用端面研磨拉钉。
- ✖PS-814停产统一用PS-805
- ✖PS-P5停产统一用PS-P5-1
- ✖PS-08停产统一用PS-08-1
- ✖拉钉一体及PS-BR拉钉使用BT15细杆刀柄P37
- ✖需要附ID的拉钉时，请在型号后加ID表示例：PS-6-IDB

- ✖The center passes the oil-type engine bed when uses the non-center bore puller bolt.
- ✖PS-814 abolishes the unification to use PS-805
- ✖PS-P5 abolishes the unification to use PS-P5-1
- ✖PS-08 abolishes the unification to use PS-08-1
- ✖puller bolt body makes and the PS-BR puller bolt recommendation uses BT15 thin pole hillt P37
- ✖When needs to attach ID the puller bolt,please at model add-on ID table demonstration:PS-6-IDB

数控铣床刀柄拉杆/拉头

NC Milling Machine Toolholder Pull Rod / Puller Bolt





中心通油型拉钉

The center passes the oil-type puller bolt

订购编码 Order	拉钉型号 Type	用途 Application	机床厂家 Machine Tool Manufacturer	d3		备注 Note	单价 Price	
809700	PS-130E	BT30-MAS-II特殊	兄弟工业东注精机工业	2.5		d2=7.5	60	
809702	PS-132	BT30-MAS-I特殊	FANUC	4		d2=8	60	
809704	PS-802	BT31-JIS-B6339-89		4		PS-801带孔	60	
809706	PS-876	BT30 JIS		2.5		d4=5.5 o=30	60	
809708	PS-73	BT40-MAS-I	山崎马扎克	4		PS-1带孔	70	
809710	PS-371	BT40-MAS-I	大隈丰和	3		d4=7 o=30	70	
809712	PS-392	BT40-MAS-I	丰田工机	3		d4=7.3	0	
809714	PS-H28	BT40-MAS-I	日立精机	3		d4=5	70	
809716	PS-75*1	BT44-MAS-II		4		PS-2带孔	70	
809718	PS-806-1	BT40-JIS		6		PS-805 6带孔	70	
809720	PS-813-1		牧野制作所	6		AS568-015带O型密封圆环	70	
809722	PS-854		安田工业	6		3带风孔	70	
809724	PS-874			6		d4=10 o=30	70	
809726	PS-877		JTEKT	3		d4=7.3	70	
809728	PS-B62-1		大隈	4		S15带O型密封圆环	70	
809730	PS-366E-1	BT40 中心通孔	森精机制作所	7		d4=10 o=30 N29104*3	70	
809732	PS-G51	BT40 ANSI	山崎马扎克	7		PS-G58 带孔34931900680*2	70	
809734	PS-G510			7		PS-G51高压型34261910160*2	70	
809736	PS-309	IT40 DIN	森精机制作所	7		DIN 69872-A-1988	80	
809738	PS-380E	IT40 DIN 中心通孔		7		d4=10 o=30 N29106*3	80	
809740	PS-A1	IT40 ISO A		7		ISO-7388/2-1984A	80	
809742	PS-A4	IT40 ISO B	山崎马扎克	7.35		ISO-7388/2-1984B	80	
809744	PS-G52	IT40 ANSI		7		34931900660*2	80	
809746	PS-G53	CAT40U ANSI		7		34931900670*2	80	
809748	PS-B64-1	CAT40U ANSI	大隈	4		S15带O型密封圆环	80	
809750	PS-D72	CAT40U ANSI		7		ANSI/ASME B5.50-1985	80	
809752	PS-381E	CAT40U 中心通孔	森精机制作所	7		d4=10 o=30 N29105*3	80	
809754	PS-5E	BT50-MAS-I		6		PS-5带孔	100	
809756	PS-552	BT50-MAS-I		丰田工机	6		d4=10.4	100
809758	PS-563		安田工业	5.5		d4=11.2 o=60	100	
809760	PS-595		森精机制作所	8		d4=11 o=30 N29120*3	100	
809762	PS-5024		大隈丰和	6		d4=9.5 o=30	100	
809764	PS-5027		大阪机工	6		端面附带O型密封圆环	100	
809766	PS-5030G		东芝机械	4.5		带O型密封圆环	100	
809768	PS-M16		牧野制作所	6		带O型密封圆环	100	
809770	PS-H38-B		日立精机	3		端面附带O型密封圆环	100	
809772	PS-6E			6		PS-6带孔	100	
809774	PS-578		BT50-MAS-II	丰田工机	6		d4=10.4	100
809776	PS-579	安田工业		5.5		d4=11.2 o=60	100	
809778	PS-596	森精机制作所		8		d4=11 o=30 n29126*3	100	
809780	PS-5016	大隈丰和		6		d4=9.5 o=30	100	
809782	PS-B60	大隈		6		带O型密封圆环	100	
809784	PS-H39-B	日立精机		3		端面附带O型密封圆环	100	
809786	PS-O31		6		PS-O六付	100		
809788	PS-O56	BT50 90	森精机制作所	8		d4=11 o=30 N29119*3	100	
809790	PS-O67		大阪机工	6		端面附带O型密封圆环	100	
809792	PS-O48-B		日立精机	3		端面附带O型密封圆环	100	
809794	PS-810	BT50 JIS-B6339-89	日立精机	10		PS-809带孔	100	
809796	PS-819	BT50 JIS		丰田工机	6		d4=10.4	100
809798	PS-833			安田工业	5.5		d4=11.2 o=60	100
809800	PS-816-1		牧野制作所	6		P21带O型密封圆环	100	
809802	PS-P16	BT50 三井精机专用	三井精机	8		PS-P带孔端面研磨	100	
809804	PS-G41	BT50 ANSI	山崎马扎克	10		端面附带O型密封圆环44831901160*2	100	
809806	PS-G63			10		PS-G45带孔端面研磨32551901720*2	100	
809808	PS-G410			10		PS-G41高压规格34341901620*2	100	
809810	PS-D92	CAT50U ANSI		11.7		ANSI/ASME B5.50-1985	100	
809812	PS-A3	IT50 ISO A		11.5		ISO-7388/2-1984A	100	
809814	PS-A6	IT50 ISO B		11.55		ISO-7388/2-1984B	100	
809816	PS-512	IT50 DIN	11.5		DIN 69872-A-1988	100		

HM 液压筒夹

HM Hydraulic Collet



精度0.005mm Accuracy: 0.005mm


型号 Cat.No	D1	D2	L1	L2	d	订购 Order	单价 PRICE (RMB)
HM12-3	12	16	44.5	2	3	803100	700
-4					4	803102	700
-5					5	803104	700
-6					6	803106	700
-7					7	803108	700
-8					8	803110	700
-10					10	803112	700
HM20-3	20	24	50.5	2	3	803114	700
-4					4	803116	700
-5					5	803118	700
-6					6	803120	700
-7					7	803122	700
-8					8	803124	700
-9					9	803126	700
-10					10	803128	700
-11					11	803130	700
-12					12	803132	700
-13					13	803134	700
-14					14	803136	700
-15					15	803138	700
-16					16	803140	700
-17					17	803142	700
-18					18	803144	700
HM32-6	32	36	60.5	3	6	803146	850
-8					8	803148	850
-10					10	803150	850
-12					12	803152	850
-14					14	803154	850
-16					16	803156	850
-18					18	803158	850
-20					20	803160	850
-25					25	803162	850

精度0.003mm Accuracy: 0.003mm

型号 Cat.No	D1	D2	L1	L2	d	订购 Order	单价 PRICE (RMB)
OHM12-3	12	19	44.5	2	3	803200	950
-4					4	803202	950
-5					5	803204	950
-6					6	803206	950
-7					7	803208	950
-8					8	803210	950
-10					10	803212	950
OHM20-3	20	29	50.5	2	3	803214	950
-4					4	803216	950
-5					5	803218	950
-6					6	803220	950
-7					7	803222	950
-8					8	803224	950
-9					9	803226	950
-10					10	803228	950
-11					11	803230	950
-12					12	803232	950
-13					13	803234	950
-14					14	803236	950
-15					15	803238	950
-16					16	803240	950
-17					17	803242	950
-18					18	803244	950
OHM32-6	32	39	60.5	3	6	803246	1150
-8					8	803248	1150
-10					10	803250	1150
-12					12	803252	1150
-14					14	803254	1150
-16					16	803256	1150
-18					18	803258	1150
-20					20	803260	1150
-25					25	803262	1150

C 强力型刀柄筒夹


C powerful tool holder collet



名称 Style	型号 Cat.No	D	L	订购 Order Number	单价 PRICE (RMB)
C20	C20-3,4,5,6,8,10,12,16	26	55	803300	100
C25	C25-3,4,5,6,8,10,12,16,20	30	63	803302	120
C32	C32-3,4,5,6,7,8,9,10,12,16,20,25	38	70	803304	140
C32	C32-1/4,5/16,3/8,1/2,5/8,3/4,1"	38	70	803306	140
C42	C42-3,4,6,8,10,12,16,20,25,32	48	75	803308	200
C42	C42-1/4,5/16,3/8,1/2,5/8,3/4,1",1-1/4"	48	75	803310	200

ADS/MX 后拉式刀柄筒夹


Ads / MX back pull toolholder collet



名称 Style	型号 Cat.No	精度		D	L	订购 Order Number	单价 PRICE (RMB)
		标准	精密级				
MX6	MX6-2,3,4,5,6,3,175	0.005	0.003	9.6	36	803400	680
MX10	MX10-3,4,5,6,8,10	0.005	0.003	16	52	803402	680
MX12	MX12-3,4,5,6,8,10,12	0.005	0.003	22	57	803404	680

ER 刀柄筒夹



ER Toolholder Collet



型号 Cat.No	订购 Order	单价 PRICE (RMB)
ER8-1,1.5,2,2.5,3,3.5,4,4.5,5		100
ER11-1, 1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7		100
ER16-1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10		100
ER20-1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10,10.5,11,11.5,12,12.5,13		100
ER25-1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16		105
ER32-1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22		110
ER40-2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28		120
ER50-12,14,16,18,20,22,24,26,28,30,32,34		350

SK 刀柄筒夹


SK Toolholder Collet



型号 Cat.No	订购 Order	单价 PRICE (RMB)
SK6-0.8,1,1.25,1.5,1.75,2,2.25,2.5,2.75,3,3.5,4,4.5,5,5.5,6	803500	420
SK10-2,2.25,2.5,2.75,3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10	803502	350
SK16-3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5,9,9.5,10,10.5,11,11.5,12,12.5,13,13.5,14,14.5,15,15.5,16	803504	350
SK20-3,4,5,6,8,10,12,16,20	803506	350
SK25-6,8,10,12,14,16,16.5,17,17.5,18,18.5,19,19.5,20,20.5,21,21.5,22,22.5,23,23.5,24,24.5,25,25.4	803508	380

OZ 刀柄筒夹


OZ Toolholder Collet



型号 Cat.No	订购 Order	单价 PRICE (RMB)
OZ25-3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25	803700	100
OZ32-3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32	803702	100

ERZ 刀柄止水筒夹

ERZ Toolholder Water Stop Collet



型号 Cat.No	订购 Order	单价 PRICE (RMB)
ERZ16-4, 5, 6, 7, 8, 9, 10	803800	150
ERZ20-4, 5, 6, 7, 8, 9, 10, 11, 12	803802	150
ERZ25-4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16	803804	150
ERZ32-4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20	803806	150
ERZ40-4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 25	803808	200

※采用直身設計
※适用于液壓刀柄

※Uses the straight body design
※Is suitable for the hydraulic pressure hilt


TC 扭力攻牙刀柄套筒
TC Quick Change Taps Collet



名称 Style	型号 Cat.No	订购编码 Order Number	单价 PRICE (RMB)
TC1638	TC1638-M14,M15,M16,M17,M18,M20,M22,M24,M25,M26,M27,M28,M30,M32,M33,M34,M35,M36	804000	600
	-UNC9/16,UNC5/8,UNC3/4,UNC7/8,UNC1,UNC1-1/8,UNC1-1/4,UNC1-3/8		
	-PT1/4,PT3/8,PT1/2,PT3/4,PT1		
TC822	TC822-M7,M8,M9,M10,M11,M12,M14,M15,M16,M17,M18,M20,M22	804002	450
	-UNC3/8,7/16,1/2,9/16,5/8,3/4,7/8		
	-PT1/8,PT1/4,PT3/8,PT1/2		
TC312	TC312-M3,M4,M5,M6,M7,M8,M9,M10,M11,M12,M14,M15	804004	300
	-UNC1/4,UNC5/16,UNC3/8,UNC7/16,UNC1/2,UNC9/16		
	-PT1/8,PT1/4		

※ 选购本产品时请注明筒夹是方孔还是圆孔及所用丝攻之品牌或参照标准。

ERT丝攻筒夹
ERT Tapping Collets



ERT丝攻筒夹均根据精度标准1级（10微米）制造。

ERT tapping collets are manufactured according to accuracy standard 1 (10 microns).

既适用于标准的**ER**夹头，又适用于丝攻夹头。
（根据丝攻特定的柄径和方形的尺寸）。

ERT16 筒夹 ERT16 Collets D=16. 5/L=27. 5


订购编号 Order No.	规格型号 Model	d1	丝攻标准 Tapping standard		丝攻方头尺寸 A-□ mm	L1	价格 Price
			DIN371	DIN376			
804200	ERT 16045	4.5	M4	M6	3.4	18	
804202	ERT 16050	5	ISO	JIS	4	18	
804204	ERT 16055	5.5		M7	4.5	18	
804206	ERT 16060	6	M4.5-M5-M6	M8	4.9	18	
804208	ERT 16070	7	M7	M9-M10	5.5	18	

ERT20 筒夹 ERT20 Collets D=20. 5/L=32. 5

订购编号 Order No.	规格型号 Model	d1	丝攻标准 Tapping standard		丝攻方头尺寸 A-□ mm	L1	价格 Price
			DIN371	DIN376			
804300	ERT 20045	4.5	M4	M6	3.4	18	
804302	ERT 20050	5	ISO	JIS	4	18	
804304	ERT 20055	5.5		M7	4.5	18	
804306	ERT 20060	6	M4.5-M5-M6	M8	4.9	18	
804308	ERT 20070	7	M7	M9-M10	5.5	18	
804310	ERT 20090	8	M8	M11	6.2	22	
804312	ERT 20100	9	M9	M12	7	22	
804314	ERT 20110	10	M10		8	25	

ERT25 筒夹 ERT25 Collets D=25. 5/L=34

订购编号 Order No.	规格型号 Model	d1	丝攻标准 Tapping standard		丝攻方头尺寸 A-□ mm	L1	价格 Price
			DIN371	DIN376			
804400	ERT 25045	4.5	M4	M6	3.4	18	
804402	ERT 25050	5	ISO	JIS	4	18	
804404	ERT 25055	5.5		M7	4.5	18	
804406	ERT 25060	6	M4.5-M5-M6	M8	4.9	18	
804408	ERT 25070	7	M7	M9-M10	5.5	18	
804410	ERT 25080	8	M8	M11	6.2	22	
804412	ERT 28090	9	M9	M12	7	22	
804414	ERT 25100	10	M10		8	25	
804416	ERT 25110	11		M14	9	25	
804418	ERT 25120	12	M12	M16	9	25	



ERT丝攻筒夹均根据精度标准1级（10微米）制造。

ERT tapping collets are manufactured according to accuracy standard 1 (10 microns).

既适用于标准的**ER**夹头，又适用于丝攻夹头。
（根据丝攻特定的柄径和方形的尺寸）。

ERT32 筒夹 ERT32 Collets D=32/L=40

订购编号 Order No.	规格型号 Model	d1	丝攻标准 Tapping standard		丝攻方头尺寸 A-□ mm	L1	价格 Price
			DIN371	DIN376			
804600	ERT 32045	4.5	M4	M6	3.4	18	
804602	ERT 32050	5	ISO	JIS	4	18	
804604	ERT 32055	5.5		M7	4.5	18	
804606	ERT 32060	6	M4.5-M5-M6	M8	4.9	18	
804608	ERT 32070	7	M7	M9-M10	5.5	18	
804610	ERT 32080	8	M8	M11	6.2	22	
804612	ERT 32090	9	M9	M12	7	22	
804614	ERT 32100	10	M10		8	25	
804616	ERT 32110	11		M14	9	25	
804618	ERT 32120	12	M12	M16	9	25	
804620	ERT 32140	14		M18	11	25	
804622	ERT 32160	16		M20	12	25	

ERT40 筒夹 ERT40 Collets D=40.5/L=46

订购编号 Order No.	规格型号 Model	d1	丝攻标准 Tapping standard		丝攻方头尺寸 A-□ mm	L1	价格 Price
			DIN371	DIN376			
804800	ERT 40060	6	M4.5-M5-M6	M8	4.9	18	
804802	ERT 40070	7	M7	M9-M10	5.5	18	
804804	ERT 40080	8	M8	M11	6.2	22	
804806	ERT 40090	9	M9	M12	7	22	
804808	ERT 40100	10	M10		8	25	
804810	ERT 40110	11		M14	9	25	
804812	ERT 40120	12	M12	M16	9	25	
804814	ERT 40140	14		M18	11	25	
804816	ERT 40160	16		M20	12	25	
804818	ERT 40170	17		JIS	13	33	
804820	ERT 40180	18		M22-M24	14.5	33	
804822	ERT 40200	20		M27	16	33	
804824	ERT 40220	22		M30	18	33	

车刀
配件

铣刀
配件

刀柄
配件

拉钉

筒夹

主轴
清洁
检测
棒

锁刀
座

Z轴
设定
寻边
器

刀具
整理

组合
工具

配件

车刀
配件

铣刀
配件

刀柄
配件

拉钉

筒夹

主轴
清洁
检测
棒

锁刀
座

Z轴
设定
寻边
器

刀具
整理

组合
工具

配件

主轴清洁棒
Spindle Cleaning Rod




规格 Type	重量 Weight (KG)	单价 PRICE (RMB)
QJB-BT30	0.05	200
QJB-BT40	0.06	200
QJB-BT50	0.13	250

主轴测试棒
Spindle Test Bar



规格 Type	柄径 D	长度 L	同心度 Concentricity	单价 PRICE (RMB)
BT30-TA250L	32	250	±0.003	3300
BT40-TA300L	40	300		3800
BT50-TA300L	40	300		4200
SKT40-TA300L	40	300		4200
SKT50-TA300L	40	300		4550
CAT30-TA250L	32	250		3200
CAT40-TA300L	40	300		3600
CAT50-TA300L	40	300		4000
HSK63A-TA300L	40	400		7600

数控刀柄刀具拆卸座-锁刀座
CNC tool holder for tool removal



BT/CAT



NBT



XBT



ISO



HSK

规格 Type	BT/CAT 锁刀座 Locking fixture		XBT 锁刀座 Locking fixture		ISO 锁刀座 Locking fixture		HSK 锁刀座 Locking fixture	
	规格 Type	价格 Price	规格 Type	价格 Price	规格 Type	价格 Price	规格 Type	价格 Price
规格 Type	BT30	600	XBT30	750	ISO20-33	2000	HSK25	2000
	BT40	600	XBT40	750	ISO25-37	2300	HSK32	2300
	BT50	800	XBT50	1000	ISO30-50	2300	HSK40	2300
	CAT30	1100			NBT30-46	2300	HSK50	3200
	CAT40	1200	NBT30	600			HSK63	
	CAT50	1450					HSK100	

Z轴设定器
Z-Axis Setter



规格型号 Model No	图示 Fig	高度设定 Setting High	单价 Price
ZIP50A 带表式	1	50mm±0.005	1000
EIP50A 光电式	2	50mm±0.005	1000
ASM50	3	50mm±0.005	2400
ZAP50	4	50mm±0.005	2960
ASM100	5	100mm±0.005	1800
SM100	6	100mm±0.005	3000


1.在电脑铣床上设定刀长用
2.底座有磁性
1. Easy, quick, simple for setting tool length on the machine center
2. Base with magnetic

3D万向寻边器
3D Sensors Haimer




规格型号 Model No	产品编码 Haimer	精度 Accuracy	柄径 Diameter	单价 Price
3D寻边器 (3D-Sensors)	80.360.00	0.01mm	20mm	
3D短针 (3D-Short Needle)	80.362.00	0.01mm	20mm	
3D长针 (3D-long Needle)	80.363.00	0.01mm	20mm	

机械式寻边器
Mechanical Edge Finder



FM10-4

FM10-4-Tin
镀钛




规格型号 Model No	FIG	D1	L1	Price
FM10-4	1	10	90	160
FM10-4-Tin 镀钛	1	10	90	160
FM10-10	2	10	82.8	160
ME-610	3	10	65	160

陶瓷寻边器
Ceramic Edge Finder




SH1020
FIG.1




规格型号 Model No	FIG	D1	L1	Price
SH-1020	1	10	86	280
WH-1020	2	10	83	280

回转式寻边器
Rotary Edge Finder




规格型号 Model No	FIG	D1	L1	Price
ME-P1	1	10	93	260
ME-P2	2	10	144	280


光电式寻边器
Photoelectric Edge Finder




规格型号 Model No	FIG	L1	L2	Price
PM20	20	77	35	360
PM32	32	71	41	460



规格型号 Model No	FIG	L1	L2	Price
PM3/4"	19.05(3/4)	77	35	360
PM1-1/4	31.75(1-1/4")	71	41	460




*Easy location of work face,
O.D.L.D




*Spring-retained sensor ball por-
tects the unit against over-run

数控刀柄用刀具整理架
Tool arrangement frame for NC toolholder




订购编码 Order	规格型号 Model No	适配刀架 Shank Size	装刀数量 Tool Capacity	单价 Price
806100	#30 TOOL STAND(刀具架)-FIG.1	BT/NT/CAT/NC30	64 PCS	
806102	#40 TOOL STAND(刀具架)-FIG.1	BT/NT/CAT/NC40	56 PCS	
806104	#50 TOOL STAND(刀具架)-FIG.1	BT/NT/CAT/NC50	40 PCS	
806106	#30 TOOL STAND(刀具架)-FIG.2	BT/NT/CAT/NC30	128 PCS	
806108	#40 TOOL STAND(刀具架)-FIG.2	BT/NT/CAT/NC40	112 PCS	
806110	#50 TOOL STAND(刀具架)-FIG.2	BT/NT/CAT/NC50	80 PCS	

数控刀柄用刀具套
Tool sleeve for NC toolholder



订购编码 Order	规格型号 Model No	外观尺寸 Size	适配刀架 Shank Size	单价 Price
806200	#30 TOOL SHEATH(刀具盒)	64Wx137Dx48HMM	BT/NT/CAT/NC30	
806202	#40 TOOL SHEATH(刀具盒)	74Wx137Dx63HMM	BT/NT/CAT/NC40	
806204	#50 TOOL SHEATH(刀具盒)	104Wx137Dx93HMM	BT/NT/CAT/NC50	

数控刀柄用刀具车
Tool arrangement for NC toolholder



订购编码 Order	规格型号 Model No	适配刀架 Shank Size	装刀数量 Tool Capacity	抽屉数量 Number of drawers	单价 Price
806300	#30 TOOL TROLLEY(刀具车)-FIG.1	BT/NT/CAT/NC30	32PCS	X	
806302	#40 TOOL TROLLEY(刀具车)-FIG.1	BT/NT/CAT/NC40	28PCS	X	
806304	#50 TOOL TROLLEY(刀具车)-FIG.1	BT/NT/CAT/NC50	20PCS	X	
806306	#30 TOOL TROLLEY(刀具车)-FIG.2	BT/NT/CAT/NC30	32PCS	2-SET	
806308	#40 TOOL TROLLEY(刀具车)-FIG.2	BT/NT/CAT/NC40	28PCS	2-SET	
806310	#50 TOOL TROLLEY(刀具车)-FIG.2	BT/NT/CAT/NC50	20PCS	2-SET	

数控刀柄用刀具整理柜
Tool arrangement cabinet for NC toolholder

TC-S23
570Wx345Dx650HMM
(所注高度不含国轮高160mm)
(His not inciuding wheel-160mm)

适用于狭窄场地

S型mini 超小型工具车

	W	D	H
小抽	480	292	75
大抽	480	290	154

单位:mm



TC-LT25
680Wx460Dx830Hmm
(所注高度不含轮高160mm)
(Hisnot including whel-160mm)

加大面置物船盘

L型 大型工具车 单位:mm


	W	D	H
小抽	569	398	73
大抽	569	398	153

- *落地型工具车, 加轮设计, 移动自如.
- *抽屉均加装钢珠滑轨, 顺畅拉抽.
- *每抽可承载40KG
- *中控抽屉均附保险锁
- *坚固柜体承受力强
- *以标准超耐重符合各种尺寸之"车轮"搭配
- *粉体烤漆车体, 防磨损及溶剂侵蚀

万能夹具组-52件/组

Universal fixture group-52pcs/Kit

订购编码 Order	规格型号 Model No	T型槽 T-slot	螺杆尺寸 Stud Size	单价 Price
806400	CK-103A	7/16"	3/8"-16NC	
806402	CK-103B	1/2"	3/8"-16NC	
806404	CK-104A	9/16"	1/2"12NC	
806406	CK-104B	5/8"	1/2"12NC	
806408	CK-104C	9/16"	1/2"13NC	
806410	CK-105A	11/16"	5/8"-11	
806412	CK-105B	3/14"	5/8"-11	
806414	CK-08	10	M08x1.25P	
806416	CK-10	12	M10x1.50P	
806418	CK-12A	14	M12x1.75P	
806420	CK-12B	16	M12x1.75P	
806422	CK-14	16	M14x2.0P	
806424	CK-16	18	M16x2.0P	
806426	CK-18	20	M18x2.5P	
806428	CK-20	22	M20x2.5P	



适用各型机械工作台面T型槽, 专为模具, 治具板等固定使用.

Suitable for all types of mechanical worktable T-groove, specially for mold, Fixture plate and other fixed use

英制螺丝杆规格长度有: 3", 4", 5", 6", 7", 8"各4支
24PCS.Stud each size X 4pcs: 3", 4", 5", 6", 7", 8"

- 6个T型螺帽
 - 6个法兰螺帽
 - 4个接头螺帽
 - 6个齿型压板
 - 6个齿型垫板
- 6pcs t-slot
 - 6pcs fianged nuts
 - 4pcs coupling nut
 - 6pcs step clamps
 - 6pcs stop blocks

A.T.C 三点组合精密检测工具

A.T.C Three point combination precision testing tool

FIG.1





FIG.2



锥度标准 Taper Shank	图示 Fig	规格型号 Model No	A	B	C	订购编码 Order	单价 Price
MAS403-BT	1	BT30-ATC				806500	
		BT40-ATC				806502	
		BT50-ATC				806504	
SK-DIN69871A	1	SK30-ATC				806506	
		SK40-ATC				806508	
		SK50-ATC				806510	
CAT	1	CAT30-ATC				806512	
		CAT40-ATC				806514	
		CAT50-ATC				806516	
HSK	2	HSK50A-ATC	50	25	25	806518	
		HSK63A-ATC	63	32	30	806520	
		HSK100A-ATC	100	50	40	806522	